



XX European Congress
of Herpetology
Milan, 2-6 September 2019

PROGRAM & ABSTRACTS



UNIVERSITÀ
DI PAVIA



mnm Museo di Storia
Naturale di Milano

Organising Institutions:

Societas Europaea Herpetologica (www.seh-herpetology.org)
Università degli Studi di Milano (www.unimi.it)
Università degli Studi di Pavia (www.unipv.it)
Museo di Storia Naturale di Milano (<https://www.comune.milano.it/museostorianaturale/>)
Università degli Studi di Milano-Bicocca (www.unimib.it)

Local Organising Committee:

Gentile Francesco Ficetola, Roberto Sacchi, Stefano Scali, Raoul Manenti, Edoardo Razzetti, Emilio Padoa-Schioppa, Chiara Trabella, Marco Mangiacotti, Andrea Melotto, Mattia Falaschi, Alan Coladonato

Scientific Committee:

Gentile Francesco Ficetola, Roberto Sacchi, Stefano Scali, Raoul Manenti, Alan Coladonato, Andrea Melotto, Mattia Falaschi, Edoardo Razzetti, Marco Mangiacotti, Stefano Canessa, Andrea Villa, Claudia Corti, Isolde van Riemsdijk, Ben Wielstra, Jan-Dieter Ludwigs, Gianpaolo Montinaro, Jelka Crnobrnja-Isailović, Mathieu Denoël, Antigoni Kaliontzopoulou, Dan Cogalniceanu, Judit Vörös, Petros Lymberakis, Marco Zuffi, Marco Sannolo

Secretariat:

Martina Muraro, Elisabetta Gozzo

Herp photos:

Mattia Falaschi, G. Francesco Ficetola, Andrea Melotto, Daisy Pensotti

Please cite this volume as:

Ficetola, G. F., R. Sacchi, S. Scali, R. Manenti, A. Coladonato, A. Melotto, M. Falaschi, E. Razzetti, M. Mangiacotti, S. Canessa, A. Villa, C. Corti, I. van Riemsdijk, B. Wielstra, J. D. Ludwigs, G. Montinaro, J. Crnobrnja-Isailović, M. Denoël, A. Kaliontzopoulou, D. Cogalniceanu, J. Vörös, P. Lymberakis, M. Zuffi, and M. Sannolo, editors. 2019. XX European Congress of Herpetology, Milan, 2-6 September 2019. Program and Abstracts. S.E.H., Milano.

ISBN: 979-12-200-5284-9

**MORPHOLOGICAL INTEGRATION OF THE CRANUM AND AXIAL SKELETON
IN EUROPEAN NEWTS**

ALEKSANDAR UROŠEVIĆ

Institute for Biological Research "Siniša Stanković", University of Belgrade, Belgrade, Serbia

MAJA AJDUKOVIC

Institute for Biological Research "Siniša Stanković", University of Belgrade, Belgrade, Serbia

JAN W. ARNTZEN

Naturalis Biodiversity Center, Leiden, The Netherlands

ANA IVANOVIC

Institute of Zoology, Faculty of Biology, University of Belgrade, Belgrade, Serbia

Using micro-CT scanning and 3D geometric morphometrics of newt craniums and axial skeletons (first three vertebrae) we explored the pattern of morphological integration. We tested if i) directly connected serially homologous structures are more integrated than separated ones and ii) morphological integration coincides with regional differentiation. We applied a multilevel approach by analyzing patterns of integration at static and evolutionary levels, i.e., within and between species respectively. At the static level we choose the genus *Triturus* as a representative monophyletic group. We analysed between-individual variation in shape to detect functional modules and within-individuals the asymmetric component of variation in shape to detect developmental modules. At the evolutionary level, 17 species from five genera were analysed in phylogenetic context and taking effects of allometry on modularity and integration into account. We found that allometry is an important integrating factor in serially homologous structures. At the static level and after the correction for allometry, functional integration between the cranium and first vertebrae was weak but statistically significant between all elements, and developmental integration was significant between the cranium and the atlas and first and second trunk vertebrae. At the evolutionary level, the cranium, atlas and trunk vertebrae separate as three different modules. Our results suggest that, at the evolutionary level, morphological integration coincide with regional and functional differentiation of the axial skeleton. This allows the relatively independent evolution of the cranial skeleton and the vertebral column, separate of the significant functional and developmental integration at the static level.